

Summary Report for Individual Task  
011-228-1174  
Preform Holding Procedures  
Status: Approved

---

**Distribution Restriction:** Approved for public release; distribution is unlimited.

**Destruction Notice:** None

**Foreign Disclosure: FD5** - This product/publication has been reviewed by the product developers in coordination with the Fort Rucker foreign disclosure authority. This product is releasable to students from all requesting foreign countries without restrictions.

**Condition:** In an OH-58A/C or TH-67 helicopter underIMC or actual IMC in the TH-67(I), and given an altitude, holding instructions, and appropriate navigational publications. Some iterations of this task should be performed in MOPP 4.

- Standard:**
1. Correctly tune and identify the appropriate navigational aids (NAVAIDS).
  2. Correctly enter the holding pattern.
  3. Correctly time and track holding pattern legs.

**Special Condition:** None

**Safety Risk:** Low

**MOPP 4:** Sometimes

<b>Task Statements</b>
------------------------

**Cue:** None

<b>DANGER</b>
None

<b>WARNING</b>
None

<b>CAUTION</b>
None

**Remarks:** None

**Notes:** None

## Performance Steps

### 1. Crew action.

- a. Before arrival at the holding fix, the crew will analyze the holding instructions to determine holding pattern location and proper entry. Upon arrival at the holding fix, turn (if required) to the predetermined outbound heading.
- b. Check the inbound course. Maintain the outbound heading per the DOD FLIP or as directed by ATC.

### 2. Procedure.

- a. After the appropriate time outbound, the P\* will turn to the inbound heading. Apply normal tracking procedures to maintain the inbound course. Note the time required to fly the inbound leg. Adjust subsequent outbound leg elapsed time to obtain the desired inbound leg time. When holding at a NAVAID, begin the outbound time when abeam the station.
- b. When holding at an intersection, begin the outbound time upon establishing the outbound heading.
- c. The P will assist the P\* as directed.

(Asterisks indicates a leader performance step.)

**Evaluation Guidance:** Evaluation will be conducted in the aircraft.

**Evaluation Preparation:** Training will be conducted in the aircraft

PERFORMANCE MEASURES	GO	NO-GO	N/A
1. Performed turn to inbound heading.			
2. Applied normal tracking procedures to maintain the inbound course.			
3. Note the time required to fly the inbound leg.			
4. Adjusted subsequent outbound leg elapsed time to obtain the desired inbound leg time.			
5. Begin the outbound time when abeam the station.			
6. Hold at an intersection.			
7. Begin the outbound time upon establishing the outbound heading.			

### Supporting Reference(s):

Step Number	Reference ID	Reference Name	Required	Primary
	LOCAL SOP	LOCAL SOP	No	No
	TM 55-1520-228-10	OPERATORS MANUAL FOR ARMY MODEL OH-58A/C HELICOPTER (REPRINTED W/BASIC INCL C1-9)	No	No

**Environment:** Environmental protection is not just the law but the right thing to do. It is a continual process and starts with deliberate planning. Always be alert to ways to protect our environment during training and missions. In doing so, you will contribute to the sustainment of our training resources while protecting people and the environment from harmful effects. Refer to FM 3-34.5 Environmental Considerations and GTA 05-08-002 ENVIRONMENTAL-RELATED RISK ASSESSMENT.

**Safety:** In a training environment, leaders must perform a risk assessment in accordance with ATP 5-19, Risk Management. Leaders will complete the current Deliberate Risk Assessment Worksheet in accordance with the TRADOC Safety Officer during the planning and completion of each task and sub-task by assessing mission, enemy, terrain and weather, troops and support available-time available and civil considerations, (METT-TC). Note: During MOPP training, leaders must ensure personnel are monitored for potential heat injury. Local policies and procedures must be followed during times of increased heat category in order to avoid heat related injury. Consider the MOPP work/rest cycles and water replacement guidelines IAW FM 3-11.4, Multiservice Tactics, Techniques, and Procedures for Nuclear, Biological, and Chemical (NBC) Protection, FM 3-11.5, Multiservice Tactics, Techniques, and Procedures for Chemical, Biological,

Radiological, and Nuclear Decontamination.

**Prerequisite Individual Tasks** : None

**Supporting Individual Tasks** : None

**Supported Individual Tasks** : None

**Supported Collective Tasks** : None